
• EAST

L Number	Hits	Search Text	DB	Time stamp
-	828	service same sequence with (defin\$8 or accord\$8) and @ad<20000509	USPAT;	2004/01/06 12:50
			US-PGPUB;	
		·	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	52	service same sequence with (defin\$8 or accord\$8) same (verif\$8 or	USPĀT;	2004/01/06 12:58
		acknowledg\$8 or check\$5 or confirm\$8) and @ad<20000509	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	615	(709/236).CCLS.	USPAT;	2004/01/06 13:09
		(1031200)100201	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	29	((709/236).CCLS.) and conductor	USPAT;	2004/01/06 13:13
_	2,	((10)/230).CCDD.) and conductor	US-PGPUB;	2004/01/00 15.15
			EPO; JPO;	
			DERWENT:	
	20	. ((709/236).CCLS.) and message adj sequence	IBM_TDB	2004/01/04 14:19
-	20	((709/230).CCLS.) and message adj sequence	USPAT;	2004/01/06 14:18
		•	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	2012	(TOO INDO AD CARE) OCT O	IBM_TDB	**********
-	2942	(709/202,206,237).CCLS.	USPAT;	2004/01/06 14:19
			US-PGPUB;	
İ			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	158	((709/202,206,237).CCLS.) and source same destination same (verif\$8 or	USPAT;	2004/01/06 14:22
		acknowledg\$8 or check\$8 or confirm\$8)	US-PGPUB,	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	83	((709/202,206,237).CCLS.) and source same destination same (verif\$8 or	USPAT;	2004/01/06 14:25
		acknowledg\$8 or check\$8 or confirm\$8) same message	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	((709/202,206,237).CCLS.) and source same destination same (verif\$8 or	USPAT;	2004/01/06 14:24
		acknowledg\$8 or check\$8 or confirm\$8) same message and (data adj	US-PGPUB;	
		representation adj language)	EPO; JPO;	
			DERWENT;	
	1		IBM_TDB	
-	14	((709/202,206,237).CCLS.) and source same destination same (verif\$8 or	USPAT;	2004/01/06 14:33
		acknowledg\$8 or check\$8 or confirm\$8) same message same (sequence	US-PGPUB;	
		or order)	EPO; JPO;	
i			DERWENT;	
			IBM_TDB	
-	569	control adj (information or instructions) with (verif\$8 or acknowledg\$8	USPĀT;	2004/01/06 14:33
		or check\$8 or confirm\$8) same (sequence or order)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	329	control adj (information or instructions) with (verif\$8 or acknowledg\$8	USPAT;	2004/01/06 14:33
		or check\$8 or confirm\$8) with (sequence or order)	US-PGPUB;	
			EPO; JPO;	
1			DERWENT;	
			IBM_TDB	
	L	L		

-	247	control adj (information or instructions) with (verif\$8 or acknowledg\$8 or check\$8 or confirm\$8) with (sequence or order) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/06 14:41
-	2	control adj (information or instructions) with (verif\$8 or acknowledg\$8 or check\$8 or confirm\$8) with (sequence or order) and xml and @ad<20000509	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/01/06 14:34
-	4	control adj (information or instructions) with (verif\$8 or acknowledg\$8 or check\$8 or confirm\$8) with (sequence or order) and (data adj representation) and @ad<20000509	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/01/06 14:36
-	34	control adj (instructions) with (verif\$8 or acknowledg\$8 or check\$8 or confirm\$8) with (sequence or order) and @ad<20000509	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/01/06 14:41
-	86	control adj messages with (verif\$8 or acknowledg\$8 or check\$8 or confirm\$8) with (sequence or order) and @ad<20000509	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/01/06 16:36
-	5	middleware same sequence same messages and @ad<20000509	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/01/06 17:23
•	56	sequence adj5 messages adj5 defined	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/01/06 17:26
-	0	sequence adj5 messages adj5 defined with schema	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/01/06 17:26
-	0	sequence adj5 messages adj5 defined same schema	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/01/06 17:26
-	0	sequence adj5 messages adj5 determined with schema	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/01/06 17:30
-	0	sequence adj5 messages adj5 determined same source	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/01/06 17:30
-	0	sequence adj5 messages adj5 determined same client	DERWENT; IBM_TDB USPAT; US-PGPUB;	2004/01/06 17:30
-	78	sequence adj5 messages adj5 determined	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB;	2004/01/06 17:32
			EPO; JPO; DERWENT; IBM_TDB	

•	283	sequence near2 messages near6 pre\$1 determined	USPAT;	2004/01/06 17:32
			US-PGPUB;	
			EPO; JPO;	
		•	DERWENT;	
			IBM_TDB	
-	9	sequence near2 messages near6 pre\$1 determined same source	USPAT;	2004/01/06 17:40
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		·	IBM_TDB	
-	13	("4029950" "4071911" "4153998" "4387427" "4628478"	USPAT	2004/01/06 17:38
		"4827446" "4829445" "4901218" "5008842" "5060133" "5197011"		
	_	"5198990" "5291416").PN.		
-	3	6208904.URPN.	USPAT	2004/01/06 17:39
-	0	verif\$5 with communication adj policy	USPAT;	2004/01/07 11:51
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	22	dian all managements at the control of	IBM_TDB	2004/01/07 12:10
-	22	data adj representation adj language	USPAT; US-PGPUB;	2004/01/07 13:18
			EPO; JPO;	
			DERWENT:	
			IBM TDB	
	431	(correct or proper) adj order with (message or instruction) and	USPAT;	2004/01/07 13:20
-	431	@ad<20000509	US-PGPUB;	2004/01/07 13.20
		(Wad \2000030)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	60	(source or client or user) same (correct or proper) adj order with (message	USPAT;	2004/01/07 13:20
		or instruction) and @ad<20000509	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	1		IBM_TDB	
· ·	22	(source or client or user) same (destination or server) same (correct or	USPĀT;	2004/01/07 13:23
		proper) adj order with (message or instruction) and @ad<20000509	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	31	(source or client or user) same (correct or proper) adj order with (message	USPAT;	2004/01/07 13:23
		or instruction) and @ad<20000509 not packet	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	1780	(709/206).CCLS.	IBM_TDB USPAT;	2004/01/09 10:36
•	1780	(109/200).CCL3.	US-PGPUB;	2004/01/09 10.30
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	54	((709/206).CCLS.) and email same sequence	USPAT;	2004/01/09 10:53
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	129	email same sequence and @ad<20000509	USPAT;	2004/01/09 10:53
			US-PGPUB;	
			EPO; JPO;	
	}		DERWENT;	
	0250	(700/201 207) COLC	IBM_TDB	2004/01/02 10 53
-	8378	(709/201-207).CCLS.	USPAT;	2004/01/09 10:53
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
	<u></u>	L	ם טוד ביינוני	

-	87	((709/201-207).CCLS.) and email same sequence	USPAT; US-PGPUB;	2004/01/09 10:54
-	22	. ((709/201-207).CCLS.) and email same sequence and @ad<20000509		2004/01/09 10:55
			US-PGPUB; EPO; JPO; DERWENT; IBM TDB	
-	1	((709/201-207).CCLS.) and transmission adj sequence with (verif\$5 of acknowledg\$5 or confirm\$5 or check\$5) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/09 10:56
-	I	((709/201-207).CCLS.) and transmission adj sequence same (verif\$5 acknowledg\$5 or confirm\$5 or check\$5) and @ad<20000509	or USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 10:56
-	8	((709/201-207).CCLS.) and command adj sequence same (verif\$5 or acknowledg\$5 or confirm\$5 or check\$5) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/09 11:07
-	. 7	((709/201-207).CCLS.) and instruction adj sequence same (verif\$5 or acknowledg\$5 or confirm\$5 or check\$5) and @ad<20000509		2004/01/09 11:08
-	4	((709/201-207).CCLS.) and sequence adj2 command same (verif\$5 or acknowledg\$5 or confirm\$5 or check\$5) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/09 11:09
-	7	((709/201-207).CCLS.) and sequence near2 transmitting same (verif\$ acknowledg\$5 or confirm\$5 or check\$5) and @ad<20000509	5 or USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 11:11
-	47	((709/201-207).CCLS.) and sequence near2 message same (verif\$5 or acknowledg\$5 or confirm\$5 or check\$5) and @ad<20000509		2004/01/09 11:27
	4	sequence with (defin\$5 or describ\$5) with (file or document or schem same xml and @ad<20000509		2004/01/09 11:17
-	5	((709/201-207).CCLS.) and sequence near2 transaction same (verif\$5 acknowledg\$5 or confirm\$5 or check\$5) and @ad<20000509		2004/01/09 11:30
	I	((709/201-207).CCLS.) and sequence near2 download\$3 same (verif\$ acknowledg\$5 or confirm\$5 or check\$5) and @ad<20000509		2004/01/09 11:32
-	11	((709/201-207).CCLS.) and sequence near2 execut\$5 same (verif\$5 o acknowledg\$5 or confirm\$5 or check\$5) and @ad<20000509		2004/01/09 11:34



-	2	("6,466,978").PN.	USPAT;	2004/01/09 16:20
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	563	(client or user) with request with results with (stor\$5) and	USPĀT;	2004/01/12 11:32
		@ad<20000509	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	107	((client or user) with request with results with (stor\$5) and	USPAT;	2004/01/12 11:26
		@ad<20000509) and (("709").CLAS.)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	126	(client or user) with request with results near2 (stor\$5) and	USPAT;	2004/01/12 11:32
		@ad<20000509	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	10	(("709").CLAS.) and ((client or user) with request with results near2	USPAT;	2004/01/12 11:39
		(stor\$5) and @ad<20000509)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	16	server adj stores adj2 results and @ad<20000509	USPAT;	2004/01/12 12:31
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		•	IBM_TDB	
-	2	display adj (characteristics or capabilities) same schema and	USPAT;	2004/01/12 12:33
		@ad<20000509	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	display adj (specification) same schema and @ad<20000509	USPAT;	2004/01/12 12:37
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	2004/01/12 12 12
•	2	("5878228").PN.	USPAT;	2004/01/12 12:38
		,	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	1		IBM_TDB	1